

QuickVet[®] Analyzer Diagnostic System

Material Safety Data Sheet for QuickVet[®]/RapidVet[®] Feline Blood Typing Test[™] Version: July 17, 2015

The product covered hereby does not contain any hazardous chemical or other substances as defined under 29 CFR 1910. Nevertheless certain information that some may consider pertinent to the promotion of safety is provided.

Product QuickVet[®]/RapidVet[®] Feline Blood Typing Test[™].

Composition The test kit contains polystyrene cartridges carrying IR-dried Feline monoclonal antibodies and/or lectin stabilized in StabilCoat[®] (an aqueous, protein-containing solution). Each cartridge is in a heat sealed pouch. The test kit also contains phosphate buffered saline diluent in supplied tubes. Desiccant and plastic pipette tips are also included. No sharp objects are included.

Identification of Medical Hazards The phosphate buffered saline is essentially pH neutral and is, at most, a minor irritant to the skin or eyes. The cartridges containing IR-dried monoclonal antibodies and/or lectin stabilized in StabilCoat[®], the plastic pipettes and tubes present no foreseeable medical hazards either alone or in conjunction with other kit components.

First-Aid Measures If contamination with the phosphate buffered saline occurs, thorough washing and/or flushing with water should be sufficient.

Precautions in Case of Fire The product is not combustible. While the combustion by-products are not precisely known, the product's presence does not dictate protective measures beyond those of normal fire fighting activities.

Handling, Storage, and Spillage This product requires no special storage or handling. It produces no noxious decomposition products. In case of spillage of the phosphate buffered saline, normal cleaning and disposal modalities can be utilized.

Abnormal Reaction Products Contact with other chemicals does not produce noxious reaction products.

Toxicology Due to the packaging, unintentional ingestion, except by splattering during use as a result of the employment of less than good laboratory practices, is not foreseeable. Small amounts of the phosphate buffered saline that could be associated with splattering are not considered toxic. In case of intentional ingestion, a physician should always be consulted.

Disposal The product, used or unused, can be disposed of using modalities normally used by the laboratory or veterinary practice for diagnostic devices. However, because of presence of blood products, disposal employing incineration modalities is preferred.

The information provided is general in nature.

In case of emergency contact:

Scandinavian Micro Biodevices ApS
Gammelgaardsvej 87C
3520 Farum
Denmark

☎ +45 7020 7303

[FAX] +45 7020 7304

✉ info@smb.dk

🌐 www.quickvet.net

dmslaboratories, inc.
2 Darts Mill Road
Flemington, NJ 08822
USA

☎ (908) 782 3353

(800) 567 4367

[FAX] (908) 782 0832

✉ dms@rapidvet.com

🌐 www.rapidvet.com